

## GVT PGVT TILES 600x600mm / MIRROR





GVT PGVT TILES

500x 500mm

# Inspiring Reflections

MIRROR COLLECTION








600x 600mm

DIGITAL

GLAZED

VITRIFIED








ANTIQ BLUE







Random designs






600x 600mm

GLAZED

VITRIFIED

TILES







BROWN




CARIATI














CRACK GREY





600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES









CUSSASI BLUE





Super Flatness



Random **designs** 









DAINA MARFIL

**DELFOS BROWN** 






600x **600**mm


DIGITAL

GLAZED

VITRIFIED








DEO BLUE











DEO GREY





600x **600**mm

DIGITAL

GLAZED

VITRIFIED



DEO NATURAL



DRIFT BEIGE



















DOMINICA BLUE





600x **600**mm

DIGITAL


GLAZED


VITRIFIED

TILES









**FLEMINGO** 







Super Flatness











**GESTO GREY** 





600x **600**mm

DIGITAL

GLAZED

VITRIFIED

TILES



LIBRA BEIGE







LIBRA BROWN


















LUMIA BROWN





600x **600**mm

DIGITAL

GLAZED

VITRIFIED

TILES









LUMBER BROWN







Super Flatness






Random designs







MAC CARRARA





600x **600**mm

DIGITAL

GLAZED

VITRIFIED

TILES







**NEONEX GRIS** 





Stain Resistant




Super Flatness



Low Maintenance








NIKESA WHITE







NILANGE BLUE






600x **600**mm


DIGITAL

GLAZED

VITRIFIED

TILES









OLEMPIA NATURAL





Stain Resistant





Super Flatness














**OLAB GREY** 

OCEANIC

**OLAB BROWN** 





600x 600mm


DIGITAL

GLAZED

VITRIFIED








ROMER BEIGE














ROMER NATURAL





600x 600mm

DIGITAL

GLAZED


VITRIFIED

TILES



SEVEN BROWN





SEVEN BLUE







Super Flatness

Low Maintenan









SATURN





600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES



ROYALE ONYX



SHACK GREY







Super Flatness




•











SPANIS BLUE

SQUARE WHITE






600x 600mm


DIGITAL

GLAZED

VITRIFIED







TENERE BLUE













SWAN COLD







600x 600mm

DIGITAL

GLAZED

VITRIFIED




















VENEZULA MARBLE






600x **600**mm

DIGITAL

GLAZED

VITRIFIED



VENEZULA NATURAL



VIME GREY






Super Flatness







WHITE FALL



WHITETIGER





600x **600**mm


DIGITAL

GLAZED

VITRIFIED

TILES









CARTIER BEIGE











EMPORIO BEIGE

Random designs





600x 600mm

DIGITAL

GLAZED

VITRIFIED

TILES



High Strength



Stain Resistant



Super Flatness



Low Maintenan




Random designs









**VENETA WHITE** 

LASA GOLD

#### WHAT WE DO

- Tile, Kitchen and Bathroom equipment, hardwood, installation materials, solid surface, installation systems (one stop shop)
- Our strict testing and quality controls (shade and caliber consistency), ensure our standards are above industry standards
- Use of environmentally friendly technologies and production methods
- Latest in Double Charged design, well ahead of independent distributors
- Large product offering that will satisfy the needs of every project, budget or application; commercial or residential, contemporary or traditional

#### SERVICES

- · Design Consultation
- Customer Service
- In-stock selections
- Delivery
- Worldwide logistics

#### MARKETS WE SERVICE



Residential



Retail



Hospitality



Commercial



Restaurants/ Bars



Corporate/ Office



Institutional/ Municipal



Healthcare



Multi-Unit

#### TECHNICAL SPECIFICATION

SR. NO.	CHARACTERISTICS	STANDARD AS PER ISO 13006/EN 14411 GROUP BIA	Our VALUE	TEST METHOD			
	Regulatory Properties						
1	Deviation in length & Width	±0.5 %	±0.1 %	ISO-10545-2			
2	Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2			
3	Straightness of sides	±0.5 %	±0.1 %	ISO-10545-2			
4	Rectangularity	±0.5 %	±0. %	ISO-10545-2			
5	Surface flatness	±0.5 %	±0.2 %	ISO-10545-2			
6	Colour difference	Unaltered	No change	ISO-10545-16			
7	Glossiness	As per. mfg.	Min. 90%	GLOSSO Mtr.			
	Structural Properties						
8	Water absorption	<0.50%	<0.20 %	ISO-10545-3			
9	Apparent density	>2.0 g/cc	>2.10 g/cc	DIN 51082			
	Massive Mechanical Properties						
10	Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	ISO-10545-4			
11	Impact resistance	As. per. mfg.	Min.0.55	ISO-10545-5			
	Surface Mechanical Properties						
12	Surface abrasion resistance	As. per. mfg.	Min.Class-3	ISO-10545-7			
13	MOH's hardness	As. per. mfg.	Min.4	EN 101			
	Thermo Hydrometric Properties						
14	Frost resistance	No Damge	No Damge	ISO-10545-12			
15	Thermal shock resistance	No Damge	No Damge	ISO-10545-9			
16	Moisture expansion	Nill	Nill	ISO-10545-10			
17	Thermal expansion(COE)	Max. 9.0 x 10-6	Max. 6.5 x 10-6	ISO-10545-8			
18	Crazing resistance	As. per. mfg.	Min. 10 Cycle	ISO-10545-11			
	Chemical Properties						
19	Chemical resistance	No Damge	No Damge	ISO-10545-13			
20	Stain resistance	Resistance	Resistance	ISO-10545-14			
	Thermo Hydrometric Properties						
21	Anti skid (COF)	As. per. mfg.	Matt<0.52,Glossy<0.21	ISO-10545-17			
22	Slip resistance	As. per. mfg.	<144 mm²	ISO-10545-17			
23	Fire resistance	As. per. mfg.	Fireproof	N.A.			
24	Lead &Cadmium given off by glazed tiles	As. per. mfg.	Dose not yelld pb & cd	ISO-10545-7			

#### PACKING DETAILS

Sr.No.	Dimentions (mm)	No. of Tiles / Boxes	Coverage Area in Sq.Mtr.	Approx Weight / Box
1	600 x 600	4	1.44 Sq.Mtr.	<b>27.00 Kgs.</b> Approx

**DISCLAIMER**: COMPANY reserves the right to delete & amend either totally or partially, any of the colours, shapes, sizes, references and other technical specifications contained in this catalogue at any time. The colours shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of colours, sizes, references should be verified for Typographical errors. SHADE & SIZE VARIATIONS are inherent characteristics of ceramics. NO COMPLIANT SHALL BE ENTERTAINED ON TILES ALREADY LAID/FIXED. Complaint of decoration done outside **COMPANY**'s facilities will not be entertained.

#### **NOTES:**

Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

#### **GENERAL NOTES:**

Any Complaint must be must be brought to the company's notice within 10 days of purchase & before fixing of tiles

#### **EXCLUSIVE APPLICATIONS**

































